



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/605,069

09/05/2003

Robert Freedman

20.2875

2068

23718

7590

07/29/2004

SCHLUMBERGER OILFIELD SERVICES  
200 GILLINGHAM LANE  
MD 200-9  
SUGAR LAND, TX 77478

EXAMINER

SHRIVASTAV, BRIJ B

ART UNIT

PAPER NUMBER

2859

DATE MAILED: 07/29/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

# Office Action Summary

Application No.

10/605,069

Applicant(s)

FREEDMAN, ROBERT

Examiner

Brij B Shrivastav

Art Unit

2859

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --  
Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

## Status

- 1) ☒ Responsive to communication(s) filed on 05 September 2003.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

## Disposition of Claims

- 4) ☒ Claim(s) 1-24 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☒ Claim(s) 1-18 is/are allowed.
- 6) ☒ Claim(s) 19 is/are rejected.
- 7) ☒ Claim(s) 20-24 is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

## Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 05 September 2003 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

## Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some \* c) ☐ None of: \_\_\_\_\_
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

## Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftperson's Patent Drawing Review (PTO-948)
- 3) ☒ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)  
Paper No(s)/Mail Date 9/5/03.
- 4) ☐ Interview Summary (PTO-413)  
Paper No(s)/Mail Date. \_\_\_\_\_
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: \_\_\_\_\_

**DETAILED ACTION**

***Claim Rejections - 35 USC § 102***

1. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

2. Claim 19 is rejected under 35 U.S.C. 102(b) as being anticipated by Lew et al (US 4,785,245).

As regards to claim 19, Lew et al teach a magnetic resonance apparatus, including a flow pipe (figure 2, numeral 20) with a polarization section and an investigation section, wherein the polarization section is upstream of the investigation section (figures 1 and 2, column 6 and 7; Also, in figure 2, the initial part of the magnet polarizes the fluid before it reaches the investigative section of the apparatus). Further, Lew et al teach an antenna disposed around the flow pipe at the investigation section for generating an oscillating magnetic field having a magnetic dipole substantially perpendicular to a magnetic dipole of the static magnetic field, and for receiving a nuclear magnetic resonance signal, and a circuitry for controlling generation of the oscillating magnetic field and reception of the nuclear magnetic resonance signal by the antenna (figures 2 and 3, numerals 50, 56-58 and 66-68).

***Allowable Subject Matter***

3. Claims 1-15 are allowable, as the prior art of record does not teach or suggest a method for determining a property of a flowing fluid by nuclear magnetic resonance,

Art Unit: 2859

including steps of fitting the suit of nuclear magnetic resonance measurements to a forward model for responses of the flowing fluids to derive a parameter selected from a flow speed, longitudinal relaxation times of the flowing fluids, and a combination thereof, in combination with the remaining limitations of the claims.

4. Claims 16-18 are allowable, as the prior art of record does not teach or suggest a method for monitoring contamination in a flowing fluid being withdrawn into a formation fluid testing tool using nuclear magnetic resonance, including steps to a forward model for responses of the flowing fluids to derive a parameter selected from a flow speed, longitudinal relaxation times of the flowing fluids, and a combination thereof, in combination with the remaining limitations of the claims.

5. Claim 20-24 are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.


Any inquiry concerning this communication or earlier communications from the examiner should be directed to Brij B Shrivastav whose telephone number is 571-272-2250. The examiner can normally be reached on 7 AM to 4 PM.

---

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Diego F. F. Gutierrez can be reached on 571-272-2245. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Art Unit: 2859

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

  
Brij B Shrivastav  
Examiner 7.13.04  
Art Unit 2859